

Mercury Outboards - Specifications - Standard Accessories - 2023.2

Information on this sheet is subject to change without notice.

	Specifications														Standard Accessories - Single Installation																				
	Shaft Length	Counter Rotation	Tiller Handle	Remote Control	Mechanical Throttle&Shift (MTS)	Digital Throttle&Shift (DTS)	Manual Start	Electric Start	Power Tilt	Power Trim	Conventional Mid Section (CMS)	Advanced Mid Section (AMS)	Fuel System	Command Thrust Gear Case (CT)	Optional "Cold Fusion White" Color	Displacement [ccm]	Cylinder	Dry Weight [kg] *	Integrated Fuel Tank	Remote Fuel Tank	Side Remote Control	Tacho Analog	Speedo Analog	Trim Gauge Analog	SC1000 Tacho SmartCraft	SC1000 Speedo SmartCraft	SC100 Trim Gauge SmartCraft	SC100 Fuel Gauge SmartCraft	Electro-Hydraulic Steering	Active Trim	VesseView Mobile	Propeller			
F2.5 M	S		x										Carb			85	1	18	0,95L															BlackMax	
F3.5 M	S	x					x						Carb			85	1	18	0,95L															BlackMax	
F3.5 ML	L	x											Carb			85	1	18	0,95L															BlackMax	
F4 M	S	x					x						Carb			123	1	25	1,1L															BlackMax	
F4 ML	L	x					x						Carb			123	1	25	1,1L															BlackMax	
F5 M	S	x					x						Carb			123	1	25	1,1L															BlackMax	
F5 ML	L	x					x						Carb			123	1	25	1,1L															BlackMax	
F5 MLA Sailpower	L	x					x						Carb			123	1	25	1,1L															BlackMax	
F5 M LPG	S	x					x						Carb			123	1	25	-	LPG Tank not included														BlackMax	
F5 ML LPG	L	x					x						Carb			123	1	25	-	LPG Tank not included														BlackMax	
F5 MLA LPG	L	x					x						Carb			123	1	25	-	LPG Tank not included														BlackMax	
F5 MXLA LPG	XL	x					x						Carb			123	1	25	-	LPG Tank not included														BlackMax	
F6 M	S	x					x						Carb			123	1	25	1,1L															BlackMax	
F6 ML	L	x					x						Carb			123	1	25	1,1L															BlackMax	
F8 M	S	x					x						Carb			208	2	38	-	12L														BlackMax	
F8 ML	L	x					x						Carb			208	2	38	-	12L														BlackMax	
F8 EH	S	x					x	x					Carb			208	2	38	-	12L														BlackMax	
F8 ELH	L	x					x	x					Carb			208	2	38	-	12L														BlackMax	
F8 EL	L		x	x			x	x					Carb			208	2	38	-	12L	x													BlackMax	
F9.9 M	S	x					x						Carb			208	2	38	-	12L														BlackMax	
F9.9 ML	L	x					x						Carb			208	2	38	-	12L														BlackMax	
F9.9 EH	S	x					x	x					Carb			208	2	38	-	12L														BlackMax	
F9.9 ELH	L	x					x	x					Carb			208	2	38	-	12L														BlackMax	
F9.9 EL	L		x	x			x	x					Carb			208	2	38	-	12L	x													BlackMax	
F9.9 MLH CT	L	x					x						Carb	x		208	2	38	-	12L														BlackMax	
F9.9 ELH CT	L	x					x	x					Carb	x		208	2	38	-	12L														BlackMax	
F9.9 EL CT	L		x	x			x	x					Carb	x		208	2	38	-	12L	x													BlackMax	
F9.9 ELPT CT	L		x	x			x	x	x				Carb	x		208	2	38	-	12L	x													BlackMax	
F10 M EFI	S	x					x						EFI			333	2	45	-	12L														BlackMax	
F10 ML EFI	L	x					x						EFI			333	2	45	-	12L														BlackMax	
F10 E EFI	S		x	x			x	x					EFI			333	2	45	-	12L	x													BlackMax	
F10 EL EFI	L		x	x			x	x					EFI			333	2	45	-	12L	x													BlackMax	
F15 M EFI	S	x					x						EFI			333	2	45	-	12L															BlackMax
F15 ML EFI	L	x					x						EFI			333	2	45	-	12L															BlackMax
F15 EH EFI	S		x	x			x	x					EFI			333	2	45	-	12L															BlackMax
F15 ELH EFI	L	x					x	x					EFI			333	2	45	-	12L															BlackMax
F15 E EFI	S		x	x			x	x					EFI			333	2	45	-	12L	x														BlackMax
F15 EL EFI	L		x	x			x	x					EFI			333	2	45	-	12L	x														BlackMax
F15 ELPT EFI	L		x	x			x	x	x				EFI			333	2	45	-	12L	x														BlackMax
F20 M EFI	S	x					x						EFI			333	2	45	-	12L															BlackMax
F20 ML EFI	L	x					x						EFI			333	2	45	-	12L															BlackMax
F20 EH EFI	S		x	x			x	x					EFI			333	2	45	-	12L															BlackMax
F20 ELH EFI	L	x					x	x					EFI			333	2	45	-	12L															BlackMax
F20 ELHPT EFI	L						x	x	x				EFI			333	2	45	-	12L															BlackMax
F20 E EFI	S		x	x			x	x					EFI			333	2	45	-	12L	x														BlackMax
F20 EL EFI	L		x	x			x	x					EFI			333	2	45	-	12L	x														BlackMax
F20 EPT EFI	S		x	x			x	x	x				EFI			333	2	45	-	12L	x														BlackMax
F20 ELPT EFI	L		x	x			x	x	x				EFI			333	2	45	-	12L	x														BlackMax
F25 M EFI	S		x				x						EFI			500	3	60	-	25L															BlackMax
F25 ML EFI	L	x					x						EFI			500	3	60	-	25L															BlackMax
F25 EH EFI	S		x	x			x						EFI			500	3	60	-	25L															BlackMax
F25 ELH EFI	L	x					x						EFI			500	3	60	-	25L															BlackMax
F25 ELHPT EFI	L	x					x						EFI			500	3	60	-	25L															BlackMax
F25 E EFI	S		x	x			x						EFI			500	3	60	-	25L	x														BlackMax
F25 EL EFI	L		x	x			x						EFI			500	3	60	-	25L	x														BlackMax
F25 EPT EFI	S		x	x			x		x				EFI			500	3	60	-	25L	x														BlackMax
F25 ELPT EFI	L		x	x			x		x				EFI			500	3	60	-	25L	x														BlackMax
F30 M GA EFI	S	x					x						EFI			500	3	66	-	25L															BlackMax
F30 ML GA EFI	L	x					x						EFI			500	3	66	-	25L															BlackMax
F30 ELHPT EFI	L	x					x		x				EFI			500	3	66	-	25L															BlackMax
F30 EPT EFI	S		x	x			x		x				EFI			500	3	66	-	25L	x														BlackMax
F30 ELPT EFI	L		x	x			x		x				EFI			500	3	66	-	25L	x														BlackMax
F30 ELPT EFI CT	L		x	x			x		x				EFI	x		747	3	112	-	25L	x														BlackMax
F40 ELHPT EFI	L	x					x		x				EFI			747	3	98	-	25L															BlackMax
F40 EPT EFI	S		x	x			x		x				EFI			747	3	98	-	25L	x														BlackMax
F40 ELPT EFI	L		x	x			x		x				EFI			747	3	98	-	25L	x														BlackMax
F40 ELPT EFI Orion	L		x	x			x		x				EFI			995	4	112	-	25L															BlackMax
F40 ELPT EFI CT Pro	L		x	x			x		x																										

	Specifications														Standard Accessories - Single Installation																	
	Shaft Length	Counter Rotation	Tiller Handle	Remote Control	Mechanical Throttle&Shift (MTS)	Digital Throttle&Shift (DTS)	Manual Start	Electric Start	Power Tilt	Power Trim	Conventional Mid Section (CMS)	Advanced Mid Section (AMS)	Fuel System	Command Thrust Gear Case (CT)	Optional "Cold Fusion White" Color	Displacement [ccm]	Cylinder	Dry Weight [kg] *	Integrated Fuel Tank	Remote Fuel Tank	Side Remote Control	Tacho Analog	Speedo Analog	Trim Gauge Analog	SC1000 Tacho SmartCraft	SC1000 Speedo SmartCraft	SC100 Trim Gauge SmartCraft	SC100 Fuel Gauge SmartCraft	Electro-Hydraulic Steering	Active Trim	VesselView Mobile	Propeller
F175 L	L			x	x		x	x	x	x			EFI			3.400	V6	216	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F175 XL	XL			x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F175 CXL	XL	x		x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F200 L	L			x	x		x	x	x	x			EFI			3.400	V6	216	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F200 XL	XL			x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F200 CXL	XL	x		x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 L	L			x	x		x	x	x	x			EFI			3.400	V6	216	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 XL	XL			x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 CXL	XL	x		x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 XXL	XXL			x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 CXXL	XXL	x		x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
Verado																																
F250 L Verado	L			x	x		x	x	x	x			EFI			4.600	V8	272	-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F250 XL Verado	XL			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F250 CXL Verado	XL	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F250 XXL Verado	XXL			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F250 CXXL Verado	XXL	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F300 L Verado	L			x	x		x	x	x	x			EFI			4.600	V8	272	-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F300 CL Verado	L	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F300 XL Verado	XL			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F300 CXL Verado	XL	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F300 XXL Verado	XXL			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F300 CXXL Verado	XXL	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	x	x	x	Revolution4
F350 L Verado	L			x	x		x	x	x	x			EFI			5.700	V10	316	-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 CL Verado	L	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 XL Verado	XL			x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 CXL Verado	XL	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 XXL Verado	XXL			x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 CXXL Verado	XXL	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 XXXL Verado	XXXL			x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F350 CXXXL Verado	XXXL	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 L Verado	L			x	x		x	x	x	x			EFI			5.700	V10	316	-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 CL Verado	L	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 XL Verado	XL			x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 CXL Verado	XL	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 XXL Verado	XXL			x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 CXXL Verado	XXL	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 XXXL Verado	XXXL			x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F400 CXXXL Verado	XXXL	x		x	x		x	x	x	x			EFI			5.700	V10		-	-	x	-	-	-	x	x	x	x	x	x	x	RevolutionX
F600 L Verado	L			x	x		x	x	x	x			EFI			7.600	V12	572	-	-	x	-	-	-	VV 903 included	x	x	x	x	x	x	Verado12
F600 XL Verado	XL	x		x	x		x	x	x	x			EFI			7.600	V12		-	-	x	-	-	-	VV 903 included	x	x	x	x	x	x	Verado12
F600 XXL Verado	XXL			x	x		x	x	x	x			EFI			7.600	V12		-	-	x	-	-	-	VV 903 included	x	x	x	x	x	x	Verado12
F600 CXXL Verado	XXL	x		x	x		x	x	x	x			EFI			7.600	V12		-	-	x	-	-	-	VV 903 included	x	x	x	x	x	x	Verado12
Pro XS																																
F115 L Pro XS	L			x	x		x	x	x	x			EFI			2.064	4	163	-	-	x	-	-	-	x	x	x	x	-	-	-	BlackMax
F115 XL Pro XS	XL			x	x		x	x	x	x			EFI			2.064	4		-	-	x	-	-	-	x	x	x	x	-	-	-	BlackMax
F115 L Pro XS CT	L			x	x		x	x	x	x			EFI	x		2.064	4	165	-	-	x	-	-	-	x	x	x	x	-	-	-	BlackMax
F115 XL Pro XS CT	XL			x	x		x	x	x	x			EFI	x		2.064	4		-	-	x	-	-	-	x	x	x	x	-	-	-	BlackMax
F150 L Pro XS	L			x	x		x	x	x	x			EFI			3.000	4	207	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F150 XL Pro XS	XL			x	x		x	x	x	x			EFI			3.000	4		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F175 L Pro XS MTS	L			x	x		x	x	x	x			EFI			3.400	V6	213	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F175 XL Pro XS MTS	XL			x	x		x	x	x	x			EFI			3.400	V6		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F200 XL Pro XS	XL			x	x		x	x	x	x			EFI			4.600	V8	229	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F200 L Pro XS TM DTS	L			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F200 L Pro XS TM MTS	L			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 XL Pro XS	XL			x	x		x	x	x	x			EFI			4.600	V8	229	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F225 L Pro XS TM DTS	L			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F250 XL Pro XS	XL			x	x		x	x	x	x			EFI			4.600	V8	229	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F250 CXL Pro XS	XL	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F250 L Pro XS TM DTS	L			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F300 XL Pro XS	XL			x	x		x	x	x	x			EFI			4.600	V8	229	-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F300 CXL Pro XS	XL	x		x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4
F300 L Pro XS TM DTS	L			x	x		x	x	x	x			EFI			4.600	V8		-	-	x	-	-	-	x	x	x	x	-	-	-	Revolution4

* Dry weight is for the lightest model and excludes engine oil, rigging, and propeller.

Dual Installations of FourStroke engines 115 HP up to 150 HP include the following instruments: 2x SC1000 Tacho, 1x SC1000 Speedo, 2x SC100 Trim Gauge, 1x VesselView Mobile

Dual Installations of FourStroke, Verado and Pro XS engines 175 HP up to 400 HP include the following instruments: 2x SC1000 Tacho, 1x SC1000 Speedo, 2x SC100 Trim Gauge, 1x SC100 Fuel Gauge, 1x VesselView Mobile

