

M a r i n e   E x c e l l e n c e   D e v e l o p m e n t

**VALIANT**

**MED**


m o d e l   y e a r   2 0 2 1 - 2 0 2 2

“

We believe in excellence as the distinctive value of our solutions.  
We want to create relationships of trust based on the  
reliability of our products and our services,  
both with our customers and with our partners.  
All the brands of the group share the same values:  
quality, transparency, efficiency, ethics and the enhancement of human skills.

-

Our vision



**Black**  
(Anthracite)

Hypalon

O R

**B/W**  
(Anthracite/Artic)

Hypalon

O R



**White**  
(Artic)

Hypalon

8 5 0

s p e c i a l s e r i e s

## General Plans



## Technical specifications

CE Category *		C or B
Length overall	(m)	8.44
Inside length	(m)	6.99
Beam overall	(m)	3.02
Inside beam	(m)	1.86
Tube diameter	(cm)	56
Separate chambers		6
Maximum number of persons		22
Maximum load (ex engine weight)	(kg)	2080
Hull weight (hull only)	(kg)	1050
Recommended engine power	(hp)	300
Maximum engine power	(hp)	400
Maximum engine weight	(kg)	600
Engine shaft length		1 XXL - 2 XL


All the Engines are supplied by



Valiant MED

1

850 Special Series



“

We are pleased to announce our new line of the Valiant Med, born from a historic collaboration between the Brunswick group and MED S.p.a.

— Giuseppe Condemi C.E.O. MED S.p.a.

Valiant MED

2



850 Special Series

“

The historic Valiant brand merges with the young and disruptive innovation of the MED brand. The fusion of these two realities has given rise to a unique collaboration in the sector.

┌

“

You will have the opportunity to choose the color of the tube in total black ...

└



2

1





1



“

.. or total white.

2



**Black**  
(Anthracite)

Hypalon

O R

**B/W**  
(Anthracite/Artic)

Hypalon

O R



**White**  
(Artic)

Hypalon

7 5 0

s p e c i a l s e r i e s

## General Plans



## Technical specifications

CE Category *	C or B
Length overall	(m) 7.36
Inside length	(m) 5.87
Beam overall	(m) 2.91
Inside beam	(m) 1.86
Tube diameter	(cm) 56
Separate chambers	6
Maximum number of persons	22
Maximum load (ex engine weight)	(kg) 1980
Hull weight (hull only)	(kg) 915
Recommended engine power	(hp) 250
Maximum engine power	(hp) 300
Maximum engine weight	(kg) 495
Engine shaft length	1 XXL - 2 XL

All the Engines are supplied by



Valiant MED

1

—



750 Special Series



Valiant MED

2 —



750 Special Series

**Black**  
(Anthracite)

Hypalon

**Black**  
(Anthracite)

PVC

O

R

**White**  
(Artic)

PVC


**White**  
(Artic)

Hypalon

6 9 0

---

## General Plans



## Technical specifications

CE Category *		C
Length overall	(m)	6.62
Inside length	(m)	5.53
Beam overall	(m)	2.70
Inside beam	(m)	1.55
Tube diameter	(cm)	50/61
Separate chambers		5
Maximum number of persons		13
Maximum load (ex engine weight)	(kg)	1170
Hull weight (hull only)	(kg)	810
Recommended engine power	(hp)	225
Maximum engine power	(hp)	230
Maximum engine weight	(kg)	400
Engine shaft length		1 XXL - 2 XL


All the Engines are supplied by





**BLACK**  
(antracite grey)





**WHITE**  
(artic grey)



Compact - Bench w/ Recycling Seats



Bollard




Dual Fiberglass Leaning Post  
with Rear Bench





# 1 Equipment



Dual Fiberglass Leaning Post



# 2 Equipment



Black Aluminium T-Top



# 3 Equipment



Bench w/ Backrest

**Black**  
(Anthracite)

Hypalon

**Black**  
(Anthracite)

PVC

O R

**White**  
(Artic)

PVC


**White**  
(Artic)

Hypalon

6 3 0

---

## General Plans




## Technical specifications

CE Category*		C
Length overall	(m)	6.30
Inside length	(m)	5.17
Beam overall	(m)	2.50
Inside beam	(m)	1.30
Tube diameter	(cm)	47/61
Separate chambers		5
Maximum number of persons		13
Maximum load (ex engine weight)	(kg)	1170
Hull weight (hull only)	(kg)	502
Recommended engine power	(hp)	115
Maximum engine power	(hp)	150
Maximum engine weight	(kg)	245
Engine shaft length		XL

All the Engines are supplied by





**BLACK**  
(antracite grey)



**WHITE**  
(artic grey)



Compact - Bench w/ Recycling Seats



Bollard




Dual Fiberglass Leaning Post  
with Rear Bench

6 3 0








# 1 Equipment




Dual Fiberglass Leaning Post



# 2 Equipment



Dual SST Leaning Post d. 30 mm



# 3 Equipment



Bench w/ Backrest

**Black**  
(Anthracite)

Hypalon

**Black**  
(Anthracite)

PVC

O R

**White**  
(Artic)

PVC


**White**  
(Artic)

Hypalon

5 8 0

---

## General Plans



## Technical specifications

CE Category *		C
Length overall	(m)	5.83
Inside length	(m)	4.67
Beam overall	(m)	2.48
Inside beam	(m)	1.30
Tube diameter	(cm)	47/61
Separate chambers		5
Maximum number of persons		10
Maximum load (ex engine weight)	(kg)	900
Hull weight (hull only)	(kg)	465
Recommended engine power	(hp)	115
Maximum engine power	(hp)	150
Maximum engine weight	(kg)	240
Engine shaft length		XL

All the Engines are supplied by





Compact - Bench w/ Recycling Seats



Bollard




Dual Fiberglass Leaning Post  
with Rear Bench





# 1 Equipment




Dual Fiberglass Leaning Post



# 2 Equipment



Dual SST Leaning Post d. 30 mm



# 3 Equipment



Bench w/ Backrest

**Black**  
(Anthracite)

Hypalon

**Black**  
(Anthracite)

PVC

O R

**White**  
(Artic)

PVC


**White**  
(Artic)

Hypalon

5 5 0

---

## General Plans



## Technical specifications

CE Category *		C
Length overall	(m)	5.34
Inside length	(m)	4.18
Beam overall	(m)	2.50
Inside beam	(m)	1.28
Tube diameter	(cm)	47/57
Separate chambers		5
Maximum number of persons		9
Maximum load (ex engine weight)	(kg)	810
Hull weight (hull only)	(kg)	350
Recommended engine power	(hp)	90
Maximum engine power	(hp)	120
Maximum engine weight	(kg)	200
Engine shaft length		L

All the Engines are supplied by





Compact - Bench w/ Recycling Seats



Bollard



Dual Fiberglass Leaning Post  
with Rear Bench


5 5 0







# 1 Equipment



Dual Fiberglass Leaning Post



# 2 Equipment



Dual SST Leaning Post d. 30 mm



# 3 Equipment



Bench w/ Backrest

**Black**  
(Anthracite)

Hypalon

**Black**  
(Anthracite)

PVC

O R

**White**  
(Artic)

PVC


**White**  
(Artic)

Hypalon

5 0 0

---

# General Plans



## Technical specifications

CE Category *		C
Length overall	(m)	5.01
Inside length	(m)	3.99
Beam overall	(m)	2.48
Inside beam	(m)	1.28
Tube diameter	(cm)	47/57
Separate chambers		5
Maximum number of persons		8
Maximum load (ex engine weight)	(kg)	720
Hull weight (hull only)	(kg)	310
Recommended engine power	(hp)	50
Maximum engine power	(hp)	60
Maximum engine weight	(kg)	120
Engine shaft length		L

All the Engines are supplied by





Compact - Bench w/ Recycling Seats



Bollard



Dual Fiberglass Leaning Post  
with Rear Bench

5 0 0






# 1 Equipment



Dual Fiberglass Leaning Post



# 2 Equipment



Dual SST Leaning Post d. 30 mm



# 3 Equipment



Bench w/ Backrest



V I S I T   O U R   W E B S I T E   F O R   M O R E !

## Technical specifications

		850	750	690	630	580	550	500
CE Category *		C or B	C or B	C	C	C	C	C
Length overall	(m)	8.44	7.36	6.62	6.30	5.83	5.34	5.01
Inside length	(m)	6.99	5.87	5.53	5.17	4.67	4.18	3.99
Beam overall	(m)	3.02	2.91	2.70	2.50	2.48	2.50	2.48
Inside beam	(m)	1.86	1.86	1.55	1.30	1.30	1.28	1.28
Tube diameter	(cm)	56	56	50/61	47/61	47/61	47/57	47/57
Separate chambers		6	6	5	5	5	5	5
Maximum number of persons		22	22	13	13	10	9	8
Maximum load (ex engine weight)	(kg)	2080	1980	1170	1170	900	810	720
Hull weight (hull only)	(kg)	1050	915	810	502	465	350	310
Recommended engine power	(hp)	300	250	225	115	115	90	50
Maximum engine power	(hp)	400	300	230	150	150	120	60
Maximum engine weight	(kg)	600	495	400	245	240	200	120
Engine shaft length		1 XXL - 2 XL	1 XXL - 2 XL	1 XXL - 2 XL	XL	XL	L	L

A L L   T H E   R A N G E

V I S I T   O U R   W E B S I T E   F O R   M O R E !



All the Engines are supplied by  
**MERCURY**

A L L   T H E   R A N G E

# M a r i n e E x c e l l e n c e D e v e l o p m e n t



Med SpA Via Maccanetto, 39  
48015 Cervia (RA) - Italy

T +39 0544 915311 - F +39 0544 1762171

M info@gruppomed.it

Rea RA207561 - P. Iva 02500830399 - C.Soc. € 1.501.000 i.v.

gruppomed.it



Some feature descriptions in this brochure may refer to, and some illustrations may show, optional equipment not included in the standard delivery. The information contained in this brochure was accurate at the time of publication. We reserve the right to make changes in design and equipment. The colours illustrated in the brochure only approximate actual colours. Illustrated optional equipment is available at extra charge. Med Defense is a brand of MED S.p.A.