

Mercury Outboards - Specifications - Standard Accessories - 2026.1

Information on this sheet is subject to change without notice.

	Specifications																	Standard Accessories - Single Installation																									
	Shaft Length	Counter Rotation	Tiller Handle	Remote Control	Mechanical Throttle&Shift (MTS)	Digital Throttle&Shift (DTS)	Manual Start	Electric Start	Power Tilt	Power Trim	Conventional Mid Section (CMS)	Advanced Mid Section (AMS)	Optional "Cold Fusion White" Color	Fuel System	Gear Ratio	Command Thrust Gear Case (CT)	Gear Case (Torpedo) Size [inch]	Prop Shaft Diameter [inch]	Displacement [ccm]	Cylinder	Max. RPM at Full Throttle	Dry Weight [kg] *	Integrated Fuel Tank	Remote Fuel Tank	Fuel Quick Connect on Engine Side	Side Remote Control	Tacho Analog	Speedo Analog	Trim Gauge Analog	SC1000 Tacho SmartCraft	SC1000 Speedo SmartCraft	SC100 Trim Gauge SamrtCraft	SC100 Fuel Gauge SamrtCraft	Electro-Hydraulic Steering	Active Trim	VesselView Mobile	SeaPro Fuel Filter	Propeller					
FourStroke																																											
F25 M EFI	S		x			x								EFI	2,17:1				500	3	5400-5800	60	-	25L																	BlackMax		
F25 ML EFI	L		x			x								EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F25 EH EFI	S		x				x							EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F25 ELH EFI	L		x				x							EFI	2,17:1				500	3	5400-5800		-	25L																			BlackMax
F25 ELHPT EFI	L		x				x							EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F25 E EFI	S			x	x		x							EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F25 EL EFI	L			x	x		x							EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F25 EPT EFI	S			x	x		x		x					EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F25 ELPT EFI	L			x	x		x		x					EFI	2,17:1				500	3	5400-5800		-	25L																		BlackMax	
F30 M GA EFI	S		x				x							EFI	2,17:1				500	3	5800-6200	66	-	25L																		BlackMax	
F30 ML GA EFI	L		x				x							EFI	2,17:1				500	3	5800-6200		-	25L																			BlackMax
F30 ELHPT EFI	L		x					x		x				EFI	2,17:1				500	3	5800-6200		-	25L																			BlackMax
F30 EPT EFI	S			x	x		x		x					EFI	2,17:1				500	3	5800-6200		-	25L																			BlackMax
F30 ELPT EFI	L			x	x		x		x					EFI	2,17:1				500	3	5800-6200		-	25L																			BlackMax
F30 ELPT EFI CT	L			x	x		x		x					EFI	2,00:1	x			747	3	5800-6200		-	25L																			BlackMax
F40 ELHPT EFI	L		x				x		x					EFI	2,00:1				747	3	5500-6000		-	25L																			BlackMax
F40 EPT EFI	S			x	x		x		x					EFI	2,00:1				747	3	5500-6000	98	-	25L																			BlackMax
F40 ELPT EFI	L			x	x		x		x					EFI	2,00:1				747	3	5500-6000		-	25L																			BlackMax
F40 ELPT EFI Orion	L			x	x		x		x					EFI	1,83:1				995	4	5500-6000	112	-	25L																			BlackMax
F40 ELPT EFI CT Pro	L			x	x		x		x					EFI	2,33:1	x			995	4	5500-6000	118	-	25L																			BlackMax
F50 ELHPT EFI	L		x				x		x					EFI	1,83:1				995	4	5500-6000		-	25L																			BlackMax
F50 ELPT EFI	L			x	x		x		x					EFI	1,83:1				995	4	5500-6000	112	-	25L																			BlackMax
F50 ELPT EFI CT	L			x	x		x		x					EFI	2,33:1	x			995	4	5500-6000	118	-	25L																			BlackMax
F60 ELHPT EFI	L		x				x		x					EFI	1,83:1				995	4	5500-6000		-	25L																			BlackMax
F60 ELPT EFI	L			x	x		x		x					EFI	1,83:1				995	4	5500-6000	112	-	25L																			BlackMax
F60 ELPT EFI CT	L			x	x		x		x					EFI	2,33:1	x			995	4	5500-6000	118	-	25L																			BlackMax
F80 ELPT EFI	L			x	x		x		x					EFI	2,07:1				2 064	4	4500-5500	163	-	25L																			BlackMax
F100 L EFI	L			x	x		x		x					EFI	2,07:1				2 064	4	5000-6000	163	-	25L																			BlackMax
F100 XL EFI	XL			x	x		x		x					EFI	2,07:1				2 064	4	5000-6000		-	25L																			BlackMax
F100 L EFI CT	L			x	x		x		x					EFI	2,38:1	x			2 064	4	5000-6000	165	-	25L																			BlackMax
F100 XL EFI CT	XL			x	x		x		x					EFI	2,38:1	x			2 064	4	5000-6000		-	25L																			BlackMax
F115 L EFI	L			x	x		x		x					EFI	2,07:1				2 064	4	5000-6000	163	-	25L																			BlackMax
F115 XL EFI	XL			x	x		x		x					EFI	2,07:1				2 064	4	5000-6000		-	25L																		BlackMax	
F115 L EFI CT	L			x	x		x		x					EFI	2,38:1	x			2 064	4	5000-6000		-	25L																			BlackMax
F115 XL EFI CT	XL			x	x		x		x					EFI	2,38:1	x			2 064	4	5000-6000	165	-	25L																			BlackMax
F150 L EFI	L			x	x		x		x					EFI	1,92:1				3 000	4	5000-5800	206	-	25L																			Revolution4
F150 XL EFI	XL			x	x		x		x					EFI	1,92:1				3 000	4	5000-5800		-	25L																		Revolution4	
F150 CXL EFI	XL	x		x	x		x		x					EFI	1,92:1				3 000	4	5000-5800		-	25L																		Revolution4	
F175 L	L			x		x	x		x	x				EFI	1,85:1		4,88	1	3 400	V6	5000-5800	216	-	25L																			Revolution4
F175 XL	XL			x		x	x		x	x				EFI	1,85:1		4,88	1	3 400	V6	5000-5800		-	25L																			Revolution4
F175 CXL	XL	x		x		x	x		x	x				EFI	1,85:1		4,88	1	3 400	V6	5000-5800		-	25L																			Revolution4
F200 L	L			x		x	x		x	x				EFI	1,85:1		4,88	1	3 400	V6	5000-5800	216	-	25L																			Revolution4
F200 XL	XL			x		x	x		x	x				EFI	1,85:1		4,88	1	3 400	V6	5000-5800		-	25L																			Revolution4
F200 CXL	XL	x																																									

Mercury Outboards - Specifications - Standard Accessories - 2026.1

Information on this sheet is subject to change without notice.

	Specifications															Standard Accessories - Single Installation																							
	Shaft Length	Counter Rotation	Tiller Handle	Remote Control	Mechanical Throttle&Shift (MTS)	Digital Throttle&Shift (DTS)	Manual Start	Electric Start	Power Tilt	Power Trim	Conventional Mid Section (CMS)	Advanced Mid Section (AMS)	Optional "Cold Fusion White" Color	Fuel System	Gear Ratio	Command Thrust Gear Case (CT)	Gear Case (Torpedo) Size [inch]	Prop Shaft Diameter [inch]	Displacement [ccm]	Cylinder	Max. RPM at Full Throttle	Dry Weight [kg] *	Integrated Fuel Tank	Remote Fuel Tank	Fuel Quick Connect on Engine Side	Side Remote Control	Tacho Analog	Speedo Analog	Trim Gauge Analog	SC1000 Tacho SmartCraft	SC1000 Speedo SmartCraft	SC100 Trim Gauge SmartCraft	SC100 Fuel Gauge SmartCraft	Electro-Hydraulic Steering	Active Trim	VesselView Mobile	SeaPro Fuel Filter	Propeller	
FourStroke																																							
F225 L	L			x	x	x	x	x	x	x			x	EFI	1,85:1	4,88	1	3 400	V6	5200-6000	216	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F225 XL	XL			x	x	x	x	x	x	x			x	EFI	1,85:1	4,88	1	3 400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F225 CXL	XL	x		x	x	x	x	x	x	x			x	EFI	1,85:1	4,88	1	3 400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F225 XXL	XXL			x	x	x	x	x	x	x			x	EFI	1,85:1	4,88	1	3 400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F225 CXXL	XXL	x		x	x	x	x	x	x	x			x	EFI	1,85:1	4,88	1	3 400	V6	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F250 L	L			x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000	239	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F250 XL	XL			x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F250 CXL	XL	x		x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F250 XXL	XXL			x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F250 CXXL	XXL	x		x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F300 XL	XL			x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000	239	-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F300 CXL	XL	x		x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F300 XXL	XXL			x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
F300 CXXL	XXL	x		x	x	x	x	x	x	x			x	EFI	1,75:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	x	x	-	Revolution4
Verado																																							
F250 L Verado	L			x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000	272	-	-	-	x	-	-	-	x	x	x	x	x	x	x	x	x	-	Revolution4
F250 XL Verado	XL			x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	x	x	-	Revolution4	
F250 CXL Verado	XL	x		x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	x	-	Revolution4		
F250 XXL Verado	XXL			x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	x	-	Revolution4		
F250 CXXL Verado	XXL	x		x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	Revolution4			
F300 L Verado	L			x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000	272	-	-	-	x	-	-	-	x	x	x	x	x	x	x	-	Revolution4		
F300 CL Verado	L	x		x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	Revolution4			
F300 XL Verado	XL			x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	Revolution4			
F300 CXL Verado	XL	x		x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	Revolution4			
F300 XXL Verado	XXL			x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	Revolution4			
F300 CXXL Verado	XXL	x		x	x	x	x	x	x	x			x	EFI	1,85:1	5,44	1,25	4 600	V8	5200-6000		-	-	-	x	-	-	-	x	x	x	x	x	x	-	Revolution4			
F350 L Verado	L			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400	316	-	-	-	x	-	-	-	x	x	x	x	x	x	x	-	RevolutionX		
F350 CL Verado	L	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F350 XL Verado	XL			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F350 CXL Verado	XL	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F350 XXL Verado	XXL			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F350 CXXL Verado	XXL	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F350 XXXL Verado	XXXL			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F350 CXXXL Verado	XXXL	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F400 L Verado	L			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400	316	-	-	-	x	-	-	-	x	x	x	x	x	x	-	RevolutionX			
F400 CL Verado	L	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				
F400 XL Verado	XL			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				
F400 CXL Verado	XL	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				
F400 XXL Verado	XXL			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				
F400 CXXL Verado	XXL	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				
F400 XXXL Verado	XXXL			x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				
F400 CXXXL Verado	XXXL	x		x	x	x	x	x	x	x			x	EFI	2,08:1	6,4		5 700	V10	5800-6400		-	-	-	x	-	-	-	x	x	x	x	x	-	RevolutionX				

